



<div>Bemerkung - Note</div> <div>Nicht ohne Kuehlmittel betreiben!</div> <div>Not for use without coolant-fluid!</div>		<div>Technische Daten - technical data</div> <div>M1 / M2 = 50 /50 Nm</div> <div>n1 / n2 = 6000 /6000 1/min</div> <div>i (N1:N2) = 1:1</div> <div>pmax = 25 bar</div>		<div>Benennung - Title</div> <div>Axial Bohr und Fräskopf</div> <div>Axial drilling and milling head</div>			<table><tr><td></td><td>name</td><td>date</td></tr><tr><td>drawing</td><td>Theiss</td><td>06.12.2013</td></tr></table> <div><div>EWS</div><div>Tool Technologies</div><div>EWS Weigle GmbH & Co. KG</div><div>Maybachstr. 1</div><div>D-73066 Uehingen</div><div>Tel. +49(0)7161/93040-100</div></div>			name	date	drawing	Theiss	06.12.2013	<div>Technische Aenderungen vorbehalten!</div> <div>Subject to technical modifications!</div> <div>Nr.</div> <div>40.40VX4HAASSL40HIK</div> <div>MNR: 165265</div> <div>IDENT: D-EWS-148528 -</div> <div>Blatt - page 1 (1)</div>		<div><div><div></div><div></div></div><div>DIN A3</div></div>	
	name	date																
drawing	Theiss	06.12.2013																
6		5		4			3		2		1							